

M&ENNO[®] TER forte - effectiveness:

Fungicid (including their duration forms – exclusive <i>Cylindrocladium scoparium</i>)		Bactericid	Herbicide
Alternaria sp.* ¹	Pythium splendens* ¹	Acidovorax avenae ssp. cattleya* ¹	Seeds of Weed
Botrytis cinerea* ^{1/6}	Phytophthora cinnamomi* ¹	Agrobacterium tumefaciens* ¹	Sagina procumbens* ²
Cladosporium fulvum* ¹	Phytophthora nicotianae* ⁵	Clavibacter michiganensis ssp. michiganensis* ¹	Veronica peregrina* ²
Colletotrichum sp.* ¹	Phytophthora nicotianae var. parasitica* ¹	Clavibacter michiganensis ssp. sepedonicus* ¹	Poa annua* ²
Cylindrocarpon destructans* ¹	Rhizoctonia solani* ¹	Corynebacterium sepedonicus* ¹	Cardamine hirsuta* ²
Cylindrocladium spathiphylli* ¹	Thielaviopsis basicola* ¹	Erwinia carotovora ssp. atroseptica* ¹	Senecio vulgaris* ²
Dactylium dendroides* ¹	Trichoderma viride* ¹	Erwinia carotovora ssp. carotovora* ¹	
Didymella bryoniae* ^{1/6}	Verticillium dahliae* ¹	Pseudomonas solanacearum* ¹	Algae & Moss
Fusarium oxysporum f.sp. cyclaminis* ¹	Verticillium fungicola* ¹	Xanthomonas campestris pv. pelargonii* ¹	Algae* ³
Fusarium oxysporum (Stamm Elatiorbegonien)* ¹			Moss* ⁴
Fusarium solani var. coeruleum* ¹			
Gloeosporium* ¹			
Helminthosporium solani* ¹			
Mucor sp.* ¹			
Phomopsis sclerotioides* ⁶			
Plasmodiophora brassicae* ⁷			
Pythium debaryanum* ⁵			

*1 FAG Forschungsanstalt Geisenheim, Special Field: Phytomedicine, Geisenheim, Germany, Dr. Wohanka

*2 LWK Weser-EMS, Chamber of Agriculture, Germany, Dr. Brand

*3 LWK Hamburg, Pflanzenschutzamt Hamburg, Department of Plant Protection, Germany, Dipl.-Ing. D. Meier

*4 LWK Bonn, Pflanzenschutzamt Bonn, Department of Plant Protection, Germany, Dr. B. Böhmer

*5 Technische Mikrobiologie, Dr. J. Höffler, Hamburg, Germany

*6 Statens Plantevern, Norwegian Plant Protection Institute, L. Sundheim, Norway

*7 Gemüsebauberatungsring Dithmarschen eV, C. Hadler, Marne, Germany